


**COMPONENTS**

<p><b>Handle Libra</b></p> <p>textile door stop, inserted 14 mm x 4 mm</p> <p>Length: 2,5 m, 2,7 m</p>	<p><b>Top track Simple</b></p> <p>68 mm</p> <p>Length: 1,5 m, 2,0 m, 2,5 m, 3,0 m, 4,0 m, 6,0 m</p>	<p><b>Bottom track Simple</b></p> <p>44 mm</p> <p>Length: 1,5 m, 2,0 m, 2,5 m, 3,0 m, 4,0 m, 6,0 m</p>	<p><b>Rubber finishing profile for bottom track</b></p> <p>Length: 2,0 m, 3,0 m, 6,0 m, 50,0 m</p>	<p><b>H28 Simple mid-rail</b></p> <p>Length: 3,0 m</p>	<p><b>H21 Simple mid-rail</b></p> <p>Length: 3,0 m</p>
<p><b>Top horizontal profile Simple Frame II</b></p> <p>Length: 1,5 m, 2,0 m, 2,5 m, 3,0 m</p>	<p><b>Bottom horizontal profile Simple Frame II</b></p> <p>Length: 1,5 m, 2,0 m, 2,5 m, 3,0 m</p>	<p><b>Guiding carriage Simple 18 Frame</b></p> <p>(Set)</p>	<p><b>Bottom carriage Simple/Blue 10V</b></p> <p>(Set)</p>	<p><b>Self-tapping screw <math>\varnothing 6.3 \times 32</math></b></p>	<p><b>Fastening wedge for glass Simple Frame</b></p>

Dimensions of opening




door filling - board  $\neq$  18 mm, glass  $\neq$  4 mm

door height	- h	$h = H - 33 \text{ mm}$ $h = H - 39 \text{ mm}$
- without soft-close		
- with soft-close Simple MINI and Simple CENTRAL		
board height	- hb	$hb = h - 60 \text{ mm}$
door width	- w	$w = (W - 3 \text{ mm} + Z) : N$
board width	- wb	$wb = w - 17 \text{ mm}$
horizontal profile length	- L	$L = U = w - 40.4 \text{ mm}$
upper horizontal profile length	- U	

number of doors	- N	2	3
total overlap	- Z	32 mm	64 mm


visual design - 4 wings	
	$w = (W + 93) : 4$
	$w = (W : 2 + 29) : 2$



door filling - 4 mm glass or mirror



mirror height	- hm	$hm = hb$
mirror width	- wm	$wm = wb - 4 \text{ mm}$

Dimensions helpful during installation of horizontal mid-rails in Simple-Frame systems




Installation method for fitting 18 mm board (diag. A) and 4 mm mirror or glass (diag. B)

- with handle





- with top horizontal profile



Expansion gap taken into account when calculating the height of chipboard

- with bottom horizontal profile



**ATTENTION!**

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between.